



## Material Safety Data Sheet

For Health Emergencies: CALL A POISON CONTROL CENTER  
For Transportation Emergencies ONLY: Call Chem-Tel  
USA, Canada, Puerto Rico, US Virgin Islands: Call 800-255-3924  
Outside North America: Call Collect 813-248-0585

Date Prepared  
Rev: 10 May 2007  
Replaces: 26 Aug 2006

---

### Section 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 PRODUCT NAME: [Prima® Oil Colors & Oil Color Set](#)

1.2 ITEM NUMBER AND SIZES: [Colors Listed in Section 2 below - 37ml tubes, Set of colors](#)

1.3 COMPANY IDENTIFICATION:

Martin/F. Weber Co.  
2727 Southampton Road • Philadelphia, PA 19154 USA  
Phone: 215-677-5600 • Fax: 215-677-3336  
Email: [info@weberart.com](mailto:info@weberart.com) • Web: [www.weberart.com](http://www.weberart.com)

---

### SECTION 2 – COMPOSITION INFORMATION

COMPONENT	CAS #	MAX. AMOUNT (% Weight)
-----------	-------	---------------------------

[Martin/F. Weber Company is a member of the Art & Creative Materials Institute, \(ACMI\) 1280 Main Street, 2nd Floor, PO Box 479, Hanson, MA 02341 USA. ACMI is a non-profit, international organization which tests and evaluates product formulations for toxicity, recommends and requires appropriate labeling. Our art and craft materials are certified by the institute to be labeled in accordance with the voluntary chronic hazard labeling standard, ASTM D-4236 of the American Society for Testing & Materials. This standard is incorporated into the US Federal Hazard Substances Act and it's LHAMA \(Labeling for Hazardous Art Materials\) amendment.](#)

[These products are appropriately labeled with the AP Non-Toxic Seal of ACMI. They have been certified in a program of toxicological evaluation by a medical expert, subject to review by the institute's Toxicological Advisory Board to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems.](#)

Item	Color and Size
2201	PRIMA OIL ALIZARIN CRIMSON 37ML
2202	PRIMA OIL BURNT SIENNA 37 ML
2203	PRIMA OIL BURNT UMBER 37 ML
2204	PRIMA OIL CAD RED LIGHT HUE
2205	PRIMA OIL CAD RED MED HUE 37ML
2206	PRIMA OIL CAD YELL LT HUE 37 ML
2207	PRIMA OIL CAD YEL MED HUE 37 ML
2208	PRIMA OIL CERUL BLUE HUE 37 ML
2209	PRIMA OIL COBALT BLUE HUE 37ML
2210	PRIMA OIL COBALT VIOL HUE 37ML
2211	PRIMA OIL IVORY BLACK 37 ML
2212	PRIMA OIL EMERALD GREEN 37ML
2213	PRIMA OIL TURQUOISE 37ML

Item	Color and Size
2214	PRIMA OIL NAPLES YELL HUE 37ML
2215	PRIMA OIL GREY (NEUTRAL) 37ML
2216	PRIMA OIL PHTHALO GREEN 37 ML
2217	PRIMA OIL PRIMA PINK 37 ML
2218	PRIMA OIL TITANIUM WHITE 37 ML
2219	PRIMA OIL RAW SIENNA 37 ML
2220	PRIMA OIL VAN DYKE BROWN 37ML
2221	PRIMA OIL SAP GREEN 37 ML
2222	PRIMA OIL ULTRAMARINE 37 ML
2223	PRIMA OIL PEACH (LT. FLESH) 37ML
2224	PRIMA OIL YELLOW OCHRE 37 ML
2290	PRIMA 7 TUBE OIL COLOR SET

---

### SECTION 3 – HAZARDS IDENTIFICATION

3.1 EMERGENCY OVERVIEW

**Appearance:** Colored Paste  
**Physical State:** Paste  
**Odor:** Characteristic Linseed Oil or Safflower Oil  
**Hazards of Product:** n/a.

### 3.2 POTENTIAL HEALTH EFFECTS

EFFECTS OF SINGLE ACUTE OVEREXPOSURE: n/a

CHRONIC, PROLONGED OR REPEATED OVEREXPOSURE: n/a

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: n/a

### 3.3 POTENTIAL ENVIRONMENTAL EFFECTS: n/a

---

## SECTION 4 – FIRST AID PROCEDURES

4.1 INHALATION: n/a.

4.2 EYE CONTACT: n/a

4.3 SKIN CONTACT: n/a.

4.4 SWALLOWING n/a.

4.2 NOTES TO PHYSICIAN: n/a

---

## SECTION 5 - FIRE FIGHTING MEASURES

### 5.1 FLAMMABLE PROPERTIES

**Identification Number:** n/a  
**Flash Point – Closed Cup:** >350°F (177°C)  
**Flash Point – Open Cup:** n/a  
**Auto-Ignition Temperature:** n/a  
**Flammable Limits in Air:** n/a

5.2 EXTINGUISHING MEDIA Foam, CO<sub>2</sub>, Dry Chemical (Class B) or Halon®, Water Fog

5.3 EXTINGUISHING MEDIA TO AVOID n/a

5.4 SPECIAL FIRE FIGHTING PROCEDURES n/a

5.5 SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS As with any fire situation, full face, self contained breathing apparatus and appropriate protective clothing should be worn.

5.6 UNUSUAL FIRE AND EXPLOSION HAZARDS n/a

5.7 HAZARDOUS COMBUSTION PRODUCTS Under fire conditions, this product may release CO, CO<sub>2</sub>, and other decomposition products of undetermined hazard.

---

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Clean up paint or paint mixed with solvents using rags or paper towels. Place in airtight containers for disposal.

---

## SECTION 7 – HANDLING AND STORAGE

7.1 GENERAL HANDLING: After use, wash hands before eating drinking or smoking.

7.2 STORAGE: n/a

---

## SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 EXPOSURE LIMITS: n/a

8.2 PERSONAL PROTECTION:

**Respiratory Protection:** n/a  
**Ventilation:** n/a  
**Eye Protection:** n/a  
**Protective Gloves:** Rubber or vinyl gloves or a barrier cream are useful for general cleanliness  
**Other Protective Equipment:** n/a

8.3 ENGINEERING CONTROLS: n/a

---

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Paste  
**Appearance:** Viscous Colored Paste  
**pH:** < 7  
**Solubility in Water (by weight):** Negligible  
**Odor:** Characteristic Linseed Oil or Safflower Oil  
**Flash Point – Closed Cup:** > 350°F (177°C)  
**Flash Point – Open Cup:** n/a  
**Percent Volatiles:** Non-Volatile  
**Boiling Point (760mm Hg):** n/a  
**Freezing Point:** n/a  
**Specific Gravity (H<sub>2</sub>O = 1):** > 1  
**Vapor Pressure at 20°C:** n/a  
**Vapor Density (air = 1):** n/a  
**Evaporation Rate** n/a  
**(Butyl Acetate = 1):**  
**Melting Point:** n/a

---

## Section 10 – STABILITY AND REACTIVITY

10.1 STABILITY / INSTABILITY Stable under ordinary conditions of use and storage  
**Conditions to Avoid** n/a  
**Incompatible Materials** n/a

10.2 HAZARDOUS  
POLYMERIZATION Will not occur

10.3 INHIBITORS / STABILIZERS n/a

---

## SECTION 11 – TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: n/a  
CHRONIC TOXICITY: n/a

---

## SECTION 12 – ECOLOGICAL INFORMATION

12.1 ENVIRONMENTAL FATE n/a  
12.2 ECOTOXICITY n/a  
12.3 FURTHER INFORMATION n/a

---

## SECTION 13 – DISPOSAL CONSIDERATIONS

13.1 WASTE DISPOSAL METHOD [Dispose of in accordance with local, state and federal regulations](#)  
13.2 DISPOSAL CONSIDERATIONS n/a

---

## SECTION 14 – TRANSPORTATION INFORMATION

U.S. D.O.T n/a

---

## SECTION 15 – REGULATORY INFORMATION

15.1 FEDERAL / NATIONAL n/a  
15.2 STATE / LOCAL n/a

---

## SECTION 16 – OTHER INFORMATION

The information presented here is current as of the date of this Material Safety Data Sheet and is believed to be accurate but is not warranted to be, whether originating with the company or not. Since use of this information and the product are not under the control of Martin/F. Weber Company, it is the user's obligation to determine conditions of safe use, in advance of use, and to carefully read the product label and follow all instructions for safe use of the product.