



# Certificate of Compliance & Material Safety Data Sheet

For Health Emergencies: CALL A POISON CONTROL CENTER  
For Transportation Emergencies ONLY: Call Chem-Tel  
USA, Canada, Puerto Rico, US Virgin Islands: Call 800-255-3924  
Outside North America: Call Collect 813-248-0585

Date Prepared  
Rev: 13 May 2009  
Replaces: 17 May 2007

---

## Certificate of Compliance Section 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 PRODUCT NAME: [Weber® Adhesive Preparation \(Adhesive for relining oil paintings\)](#)

1.2 ITEM NUMBER AND SIZES: [1753 – 454gm](#)

1.3 CPSC SAFETY REGULATION CITATION

[This adult product is certified to comply with the Consumer Product Safety Act \(CPSA\), the Federal Hazardous Substances Act, \(FHSA\) and its Labeling for Hazardous Art Materials Amendment, \(LHAMA.\)](#)

1.4 MANUFACTURER IDENTIFICATION:

[Martin/F. Weber Co.](#)  
[2727 Southampton Road • Philadelphia, PA 19154 USA](#)  
[Phone: 215-677-5600 • Fax: 215-677-3336](#)  
[Email: compliance@weberart.com • Web: www.weberart.com](#)

1.5 CONTACT INFORMATION:

[Regulatory & Compliance Manager](#)  
[Martin/F. Weber Co.](#)  
[2727 Southampton Road • Philadelphia, PA 19154 USA](#)  
[Phone: 215-677-5600 • Fax: 215-677-3336](#)  
[Email: compliance@weberart.com](#)

1.6 DATE & PLACE OF MANUFACTURE:

[For purposes of the Consumer Product Safety Improvement Act, \(CPSIA\), this product is deemed to be manufactured as of the date of shipment, at the above address.](#)

1.7 DATE & PLACE PRODUCT TESTED FOR COMPLIANCE WITH THE REGULATIONS ABOVE (1.4):

[Date: 12 June 2006](#)  
[Place: Duke University Medical Center](#)  
[2200 West Main Street, Suite 400](#)  
[Durham NC 27705](#)

1.8 THIRD-PARTY LABORATORY(S) ON WHICH THIS CERTIFICATE DEPENDS

[N/A](#)

---

## MSDS Section 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 PRODUCT NAME: [Weber® Adhesive Preparation \(Adhesive for relining oil paintings\)](#)

1.2 ITEM NUMBER AND SIZES: [1753 – 454gm](#)

1.2 MANUFACTURER IDENTIFICATION:

[Martin/F. Weber Co.](#)  
[2727 Southampton Road • Philadelphia, PA 19154 USA](#)  
[Phone: 215-677-5600 • Fax: 215-677-3336](#)  
[Email: compliance@weberart.com • Web: www.weberart.com](#)

---

## SECTION 2 – COMPOSITION INFORMATION

COMPONENT	CAS #	MAX. AMOUNT (% Weight)
<a href="#">Yellow Beeswax (Apis Meliferra Linne)</a>	<a href="#">8012-89-3</a>	<a href="#">50</a>
<a href="#">Gum Rosin (Colophony)</a>	<a href="#">8050-09-7</a>	<a href="#">50</a>

---

## SECTION 3 – HAZARDS IDENTIFICATION

3.1 EMERGENCY OVERVIEW

**Appearance:** [Light yellow color waxy solid](#)

**Physical State:** [Solid at room temperature](#)

**Odor:** [Mild wax and rosin odor](#)

**Hazards of Product:** [WARNING: Contact with molten wax or heating implement may result in a skin burn. Skin contact may cause allergic skin rashes. Combustion products may cause allergic reactions if inhaled.](#)

3.2 POTENTIAL HEALTH EFFECTS

EFFECTS OF SINGLE ACUTE OVEREXPOSURE:

[Skin contact may cause allergic skin rashes.](#)

CHRONIC, PROLONGED OR REPEATED OVEREXPOSURE:

[Skin contact may cause allergic skin rashes. Combustion products may cause allergic reactions if inhaled](#)

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: [Allergy to Colophony](#)

3.3 POTENTIAL ENVIRONMENTAL EFFECTS: [n/a](#)

---

## SECTION 4 – FIRST AID PROCEDURES

4.1 INHALATION: [Move to fresh air. Get prompt medical attention.](#)

4.2 EYE CONTACT: [Wash eyes with tap water for five to ten \(5 – 10\) minutes. If irritation persists, seek prompt medical attention.](#)

4.3 SKIN CONTACT: [Wash affected area with soap and water for five to ten \(5 – 10\) minutes. If irritation persists, seek prompt medical attention.](#)

4.4 SWALLOWING: [n/a](#)

SECTION 5 - FIRE FIGHTING MEASURES

5.1 FLAMMABLE PROPERTIES

**Identification Number:** n/a  
**Flash Point – Closed Cup:** > 430°F (221°C)  
**Flash Point – Open Cup:** n/a  
**Auto-Ignition Temperature:** n/a  
**Flammable Limits in Air:** n/a

5.2 EXTINGUISHING MEDIA Foam, CO<sub>2</sub>, Dry Chemical (Class B) or Halon®

5.3 EXTINGUISHING MEDIA TO AVOID Water

5.4 SPECIAL FIRE FIGHTING PROCEDURES n/a

5.5 SPECIAL PROTECTIVE  
EQUIPMENT FOR FIREFIGHTERS

As with any fire situation, full face, self contained breathing apparatus and appropriate protective clothing should be worn.

5.6 UNUSUAL FIRE AND  
EXPLOSION HAZARDS

n/a

5.7 HAZARDOUS COMBUSTION  
PRODUCTS

Under fire conditions, this product may release CO, CO<sub>2</sub>, and other decomposition products of undetermined hazard. Overheating or burning may release highly irritating fumes.

---

SECTION 6 – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Allow molten material to cool to room temperature. Scrape up and if clean, place in original container for re-use. Dispose of in accordance with local, state and federal regulations.

---

SECTION 7 – HANDLING AND STORAGE

7.1 GENERAL HANDLING: Avoid breathing vapors. Use exhaust fan to remove vapors and assure adequate ventilation. Do not transfer contents to unlabeled containers. KEEP OUT OF THE REACH OF CHILDREN. Keep from sources of ignition, oxidizing materials, heat and flame. KEEP AWAY FROM OPEN FLAMES. NO SMOKING in areas of use or storage.

7.2 STORAGE: Keep from sources of ignition, oxidizing materials, heat and flame. Keep containers closed when not in use.

---

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 EXPOSURE LIMITS: n/a

8.2 PERSONAL PROTECTION:

**Respiratory Protection:**

If TLV is exceeded, MSHA / NIOSH approved organic vapor respiratory protection should be worn.

**Ventilation:**

Use exhaust fan to remove vapors and assure adequate ventilation.

**Eye Protection:**

Use OSHA approved chemical splash goggles with side shields

**Protective Gloves:**

Neoprene or rubber – impervious gloves

**Other Protective Equipment:**

Body protection suitable for the work environment

8.3 ENGINEERING CONTROLS:

When heating, use a local exhaust fan or exhausting hood appropriate for the operation.

---

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:**

Solid

**Appearance:**

Light yellow color waxy solid

**pH:**

n/a

**Solubility in Water (by weight):**

Negligible

**Odor:**

Mild wax and rosin odor

**Flash Point – Closed Cup:**

> 430°F (221°C)

**Flash Point – Open Cup:**

n/a

**Percent Volatiles:**

<10%

**Boiling Point (760mm Hg):**

n/a

**Freezing Point:**

n/a

**Specific Gravity (H<sub>2</sub>O = 1):**

0.93

**Vapor Pressure at 20°C:**

4mg Hg

<b>Vapor Density (air = 1):</b>	4.7
<b>Evaporation Rate (Butyl Acetate = 1):</b>	<1
<b>Melting Point:</b>	140° - 150°F (62° - 65°C)

---

#### Section 10 – STABILITY AND REACTIVITY

10.1 STABILITY / INSTABILITY	Stable under ordinary conditions of use and storage
<b>Conditions to Avoid</b>	Extreme Heat Keep from heat, open flame and sources of ignition
<b>Incompatible Materials</b>	Strong oxidizing agents, acids or acidic materials
10.2 HAZARDOUS POLYMERIZATION	Will not occur
10.3 INHIBITORS / STABILIZERS	n/a

---

#### SECTION 11 – TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Skin contact may cause allergic skin rashes. Combustion products may cause allergic reactions if inhaled.

CHRONIC TOXICITY: Skin contact may cause allergic skin rashes. Combustion products may cause allergic reactions if inhaled.

---

#### SECTION 12 – ECOLOGICAL INFORMATION

12.1 ENVIRONMENTAL FATE	n/a
12.2 ECOTOXICITY	n/a
12.3 FURTHER INFORMATION	n/a

---

#### SECTION 13 – DISPOSAL CONSIDERATIONS

13.1 WASTE DISPOSAL METHOD	Dispose of in accordance with local, state and federal regulations
13.2 DISPOSAL CONSIDERATIONS	Keep from heat, open flame, sparks and sources of ignition

---

#### SECTION 14 – TRANSPORTATION INFORMATION

U.S. D.O.T	Not regulated.
------------	----------------

---

#### SECTION 15 – REGULATORY INFORMATION

15.1 FEDERAL / NATIONAL	n/a
15.2 STATE / LOCAL	n/a

---

#### SECTION 16 – OTHER INFORMATION

The information presented here is current as of the date of this Material Safety Data Sheet and is believed to be accurate but is not warranted to be, whether originating with the company or not. Since use of this information and the product are not under the control of Martin/F. Weber Company, it is the user's obligation to determine conditions of safe use, in advance of use, and to carefully read the product label and follow all instructions for safe use of the product.