



## Certificate of Compliance & Material Safety Data Sheet

For Health Emergencies: CALL A POISON CONTROL CENTER  
For Transportation Emergencies ONLY: Call Chem-Tel  
USA, Canada, Puerto Rico, US Virgin Islands: Call 800-255-3924  
Outside North America: Call Collect 813-248-0585

Date Prepared  
Rev: 22 May 2009  
Replaces: 21 May 2007

---

### Certificate of Compliance Section 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 PRODUCT NAME: [Mary Owens Oil Rouging™ Set](#)

1.2 ITEM NUMBER AND SIZES: [4102 - Set of seven 37ml tubes of Professional Permalba®  
Oil Colors & Transparentizing Medium](#)

1.3 CPSC SAFETY REGULATION CITATION

[This adult product is certified to comply with the Consumer Product Safety Act \(CPSA\), the Federal Hazardous Substances Act, \(FHSA\) and its Labeling for Hazardous Art Materials Amendment, \(LHAMA.\)](#)

1.4 MANUFACTURER IDENTIFICATION:

[Martin/F. Weber Co.  
2727 Southampton Road • Philadelphia, PA 19154 USA  
Phone: 215-677-5600 • Fax: 215-677-3336  
Email: \[compliance@weberart.com\]\(mailto:compliance@weberart.com\) • Web: \[www.weberart.com\]\(http://www.weberart.com\)](#)

1.5 CONTACT INFORMATION:

[Regulatory & Compliance Manager  
Martin/F. Weber Co.  
2727 Southampton Road • Philadelphia, PA 19154 USA  
Phone: 215-677-5600 • Fax: 215-677-3336  
Email: \[compliance@weberart.com\]\(mailto:compliance@weberart.com\)](#)

1.6 DATE & PLACE OF MANUFACTURE:

[For purposes of the Consumer Product Safety Improvement Act, \(CPSIA\), this product is deemed to be manufactured as of the date of shipment, at the above address.](#)

1.7 DATE & PLACE PRODUCT TESTED FOR COMPLIANCE WITH THE REGULATIONS ABOVE (1.4):

[Date: 28 January 2005 / 9 March 2007  
Place: Duke University Medical Center  
2200 West Main Street, Suite 400  
Durham NC 27705](#)

1.8 THIRD-PARTY LABORATORY(S) ON WHICH THIS CERTIFICATE DEPENDS

[N/A](#)

---

MSDS Section 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 PRODUCT NAME: [Mary Owens Oil Rouging™ Set](#)

1.2 ITEM NUMBER AND SIZES: [4102 - Set of seven 37ml tubes of Professional Permalba® Oil Colors & Transparentizing Medium](#)

1.3 COMPANY IDENTIFICATION:

[Martin/F. Weber Co.](#)  
[2727 Southampton Road • Philadelphia, PA 19154 USA](#)  
[Phone: 215-677-5600 • Fax: 215-677-3336](#)  
[Email: \[compliance@weberart.com\]\(mailto:compliance@weberart.com\) • Web: \[www.weberart.com\]\(http://www.weberart.com\)](#)

---

SECTION 2 – COMPOSITION INFORMATION

ITEM NO.	COLOR AND SIZE	HAZARDOUS INGREDIENTS
<a href="#">1000</a>	<a href="#">PROF. PERM. 37ML ALIZARIN CRIMSON</a>	<a href="#">NONE</a>
<a href="#">1003</a>	<a href="#">PROF. PERM. 37ML BURNT SIENNA</a>	<a href="#">NONE</a>
<a href="#">1004</a>	<a href="#">PROF. PERM. 37ML BURNT UMBER</a>	<a href="#">NONE</a>
<a href="#">1018</a>	<a href="#">PROF. PERM. 37ML FRENCH ULTRAMARINE BLUE</a>	<a href="#">NONE</a>
<a href="#">1037</a>	<a href="#">PROF. PERM. 37ML PAYNES GRAY</a>	<a href="#">NONE</a>
<a href="#">2759</a>	<a href="#">WEBER OIL PAINT TRANSPARENTIZING MEDIUM</a>	<a href="#">NONE</a>

ITEM NO.	COLOR AND SIZE	HAZARDOUS INGREDIENTS
<a href="#">1011</a>	<a href="#">PROF. PERM. 37ML CADMIUM YELLOW MEDIUM</a>	<a href="#">Cd</a>

COMPONENT	CAS #	MAX. AMOUNT (% Weight)
<a href="#">Cd - Cadmium Pigment</a>	<a href="#">1306-23-6</a>	<a href="#">33</a>

---

SECTION 3 – HAZARDS IDENTIFICATION

3.1 EMERGENCY OVERVIEW

**Appearance:** [Colored Paste](#)

**Physical State:** [Paste](#)

**Odor:** [Characteristic Linseed Oil or Safflower Oil](#)

**Hazards of Product:** [DO NOT SPRAY APPLY CADMIUM CONTAINING COLORS  
CANCER HAZARD BY INHALATION.](#)

3.2 POTENTIAL HEALTH EFFECTS

EFFECTS OF SINGLE ACUTE OVEREXPOSURE: [n/a](#)

CHRONIC, PROLONGED OR REPEATED OVEREXPOSURE: CHRONIC INHALATION HAZARD - Avoid spraying or aerosolizing this product. If sprayed, use a protective mask, which provides clean filtered air to the wearer and will remove all cadmium particulates from the breathed air.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: n/a

3. 3 POTENTIAL ENVIRONMENTAL EFFECTS: n/a

---

#### SECTION 4 – FIRST AID PROCEDURES

4.1 INHALATION: Move to fresh air. Get prompt medical attention.

4.2 EYE CONTACT: Wash eyes with tap water for five to ten (5 – 10) minutes. If irritation persists, seek prompt medical attention.

4.3 SKIN CONTACT: Wash affected area with soap and water for five to ten (5 – 10) minutes. If irritation persists, seek prompt medical attention.

4.4 SWALLOWING: If swallowed, get prompt medical attention.

4.2 NOTES TO PHYSICIAN: n/a

---

#### SECTION 5 - FIRE FIGHTING MEASURES

##### 5.1 FLAMMABLE PROPERTIES

<b>Identification Number:</b>	n/a
<b>Flash Point – Closed Cup:</b>	> 350° F (177° C)
<b>Flash Point – Open Cup:</b>	n/a
<b>Auto-Ignition Temperature:</b>	n/a
<b>Flammable Limits in Air:</b>	n/a

5.2 EXTINGUISHING MEDIA Foam, CO<sub>2</sub>, Dry Chemical (Class B) or Halon®, Water Fog

5.3 EXTINGUISHING MEDIA TO AVOID n/a

5.4 SPECIAL FIRE FIGHTING PROCEDURES	n/a
5.5 SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS	As with any fire situation, full face, self contained breathing apparatus and appropriate protective clothing should be worn.
5.6 UNUSUAL FIRE AND EXPLOSION HAZARDS	n/a
5.7 HAZARDOUS COMBUSTION PRODUCTS	Under fire conditions, this product may release CO, CO <sub>2</sub> and other decomposition products of undetermined hazard.

#### SECTION 6 – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Clean up paint and paint mixed with solvents using rags or paper towels. Place in airtight containers for disposal.

#### SECTION 7 – HANDLING AND STORAGE

7.1 GENERAL HANDLING: After use, wash hands before eating, drinking or smoking

7.2 STORAGE: n/a

#### SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 EXPOSURE LIMITS:	n/a
8.2 PERSONAL PROTECTION:	
<b>Respiratory Protection:</b>	Do Not Spray Apply Colors that contain Cadmium Pigment
<b>Ventilation:</b>	n/a
<b>Eye Protection:</b>	n/a
<b>Protective Gloves:</b>	Rubber or vinyl gloves, or a barrier cream are useful for general cleanliness
<b>Other Protective Equipment:</b>	n/a
8.3 ENGINEERING CONTROLS:	n/a

#### SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State:</b>	Paste
<b>Appearance:</b>	Viscous Colored Paste
<b>pH:</b>	<7
<b>Solubility in Water (by weight):</b>	Negligible
<b>Odor:</b>	Characteristic Linseed Oil or Safflower Oil
<b>Flash Point – Closed Cup:</b>	>350°F (177°C)
<b>Flash Point – Open Cup:</b>	n/a
<b>Percent Volatiles:</b>	Non-Volatile
<b>Boiling Point (760mm Hg):</b>	n/a
<b>Freezing Point:</b>	n/a
<b>Specific Gravity (H<sub>2</sub>O = 1):</b>	>1
<b>Vapor Pressure at 20°C:</b>	n/a
<b>Vapor Density (air = 1):</b>	n/a
<b>Evaporation Rate</b>	n/a
<b>(Butyl Acetate = 1):</b>	
<b>Melting Point:</b>	n/a

---

## Section 10 – STABILITY AND REACTIVITY

10.1 STABILITY / INSTABILITY	Stable under ordinary conditions of use and storage
<b>Conditions to Avoid</b>	n/a
<b>Incompatible Materials</b>	n/a
10.2 HAZARDOUS POLYMERIZATION:	Will not occur
10.3 INHIBITORS / STABILIZERS	n/a

---

## SECTION 11 – TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: n/a

CHRONIC TOXICITY: Cadmium pigments present a risk of cancer by inhalation.

---

## SECTION 12 – ECOLOGICAL INFORMATION

12.1 ENVIRONMENTAL FATE	n/a
12.2 ECOTOXICITY	n/a
12.3 FURTHER INFORMATION	n/a

---

## SECTION 13 – DISPOSAL CONSIDERATIONS

13.1 WASTE DISPOSAL METHOD	Dispose of in accordance with local, state and federal regulations
13.2 DISPOSAL CONSIDERATIONS	n/a

---

## SECTION 14 – TRANSPORTATION INFORMATION

U.S. D.O.T n/a.

---

## SECTION 15 – REGULATORY INFORMATION

15.1 FEDERAL / NATIONAL	n/a
15.2 STATE / LOCAL	California Proposition 65 Labeling: For those products identified in Section 2 as containing Cadmium (Cd) - WARNING, This product contains cadmium, a chemical known to the State of California to cause cancer by means of inhalation.

---

## SECTION 16 – OTHER INFORMATION

The information presented here is current as of the date of this Material Safety Data Sheet and is believed to be accurate but is not warranted to be, whether originating with the company or not. Since use of this information and the product are not under the control of Martin/F. Weber Company, it is the user's obligation to determine conditions of safe use, in advance of use, and to carefully read the product label and follow all instructions for safe use of the product.