



Certificate of Compliance & Material Safety Data Sheet

For Health Emergencies: CALL A POISON CONTROL CENTER
For Transportation Emergencies ONLY: Call Chem-Tel
USA, Canada, Puerto Rico, US Virgin Islands: Call 800-255-3924
Outside North America: Call Collect 813-248-0585

Date Prepared
Rev: 15 October 2009
Replaces: 16 June 2009

Certificate of Compliance Section 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 PRODUCT NAME: [Weber® Resin Oil Medium 789](#)

1.2 ITEM NUMBER AND SIZES: [1621 - 118ml](#)

1.3 CPSC SAFETY REGULATION CITATION

[This adult product is certified to comply with the Consumer Product Safety Act \(CPSA\), the Federal Hazardous Substances Act, \(FHSA\) and its Labeling for Hazardous Art Materials Amendment, \(LHAMA.\)](#)

1.4 MANUFACTURER IDENTIFICATION:

[Martin/F. Weber Co.](#)
[2727 Southampton Road • Philadelphia, PA 19154 USA](#)
[Phone: 215-677-5600 • Fax: 215-677-3336](#)
[Email: \[compliance@weberart.com\]\(mailto:compliance@weberart.com\) • Web: \[www.weberart.com\]\(http://www.weberart.com\)](#)

1.5 CONTACT INFORMATION:

[Regulatory & Compliance Manager](#)
[Martin/F. Weber Co.](#)
[2727 Southampton Road • Philadelphia, PA 19154 USA](#)
[Phone: 215-677-5600 • Fax: 215-677-3336](#)
[Email: \[compliance@weberart.com\]\(mailto:compliance@weberart.com\)](#)

1.6 DATE & PLACE OF MANUFACTURE:

[For purposes of the Consumer Product Safety Improvement Act, \(CPSIA\), this product is deemed to be manufactured as of the date of shipment, at the above address.](#)

1.7 DATE & PLACE PRODUCT TESTED FOR COMPLIANCE WITH THE REGULATIONS ABOVE (1.4):

[Date: 23 July 2007](#)
[Place: Duke University Medical Center](#)
[2200 West Main Street, Suite 400](#)
[Durham NC 27705](#)

1.8 THIRD-PARTY LABORATORY(S) ON WHICH THIS CERTIFICATE DEPENDS

[N/A](#)

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 PRODUCT NAME: [Weber® Resin Oil Medium 789](#)

1.2 ITEM NUMBER AND SIZES: [1621 - 118ml](#)

1.3 COMPANY IDENTIFICATION:

[Martin/F. Weber Co.](#)
[2727 Southampton Road • Philadelphia, PA 19154 USA](#)
[Phone: 215-677-5600 • Fax: 215-677-3336](#)
[Email: compliance@weberart.com • Web: www.weberart.com](#)

SECTION 2 – COMPOSITION INFORMATION

| COMPONENT | CAS # | MAX. AMOUNT (% Weight) |
|---------------------------------------|---------------------------|---------------------------|
| Aliphatic Hydrocarbon | 8052-41-3 | 35 |

SECTION 3 – HAZARDS IDENTIFICATION

3.1 EMERGENCY OVERVIEW

Appearance: [Transparent amber colored liquid](#)

Physical State: [Liquid](#)

Odor: [Petroleum solvent odor](#)

Hazards of Product: [Combustible. Skin irritant. Eye Irritant](#)

3.2 POTENTIAL HEALTH EFFECTS

EFFECTS OF SINGLE ACUTE OVEREXPOSURE:

[WARNING: Combustible. Skin irritant. Eye Irritant.](#)

CHRONIC, PROLONGED OR REPEATED OVEREXPOSURE:

[Skin irritant. Eye Irritant.](#)

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: [n/a](#)

3. 3 POTENTIAL ENVIRONMENTAL EFFECTS: [n/a](#)

SECTION 4 – FIRST AID PROCEDURES

4.1 INHALATION: [Move to fresh air. If symptoms persist get prompt medical attention.](#)

4.2 EYE CONTACT: [Wash eyes with tap water for five to ten \(5 – 10\) minutes. If irritation persists, seek prompt medical attention.](#)

4.3 SKIN CONTACT: [Wash affected area with soap and water for five to ten \(5 – 10\) minutes. If irritation persists, seek prompt medical attention.](#)

4.4 SWALLOWING: [If swallowed, get prompt medical attention.](#)

4.2 NOTES TO PHYSICIAN: [n/a](#)

SECTION 5 - FIRE FIGHTING MEASURES

5.1 FLAMMABLE PROPERTIES

| | |
|-----------------------------------|-----------------|
| Identification Number: | UN 1263 |
| Flash Point – Closed Cup: | 104° F (40° C) |
| Flash Point – Open Cup: | n/a |
| Auto-Ignition Temperature: | n/a |
| Flammable Limits in Air: | LEL 1% - UEL 6% |

5.2 EXTINGUISHING MEDIA Foam, CO₂, Dry Chemical (Class B) or Halon®

5.3 EXTINGUISHING MEDIA TO AVOID Water

5.4 SPECIAL FIRE FIGHTING PROCEDURES n/a

5.5 SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS As with any fire situation, full face, self contained breathing apparatus and appropriate protective clothing should be worn.

5.6 UNUSUAL FIRE AND EXPLOSION HAZARDS n/a

5.7 HAZARDOUS COMBUSTION PRODUCTS Under fire conditions, this product may release CO, CO₂, and other decomposition products of undetermined hazard.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Keep containers closed when not in use. KEEP AWAY FROM CHILDREN. Do not smoke while using. Wash hands immediately after use. Avoid prolonged contact with skin, ingestion and breathing of vapors.

SECTION 7 – HANDLING AND STORAGE

7.1 GENERAL HANDLING: Avoid ingestion. Avoid breathing vapors. Use exhaust fan to remove vapors and assure adequate ventilation. Do not transfer contents to unlabeled containers. KEEP OUT OF THE REACH OF CHILDREN. Keep from sources of ignition, oxidizing materials, heat and flame. KEEP AWAY FROM OPEN FLAMES. NO SMOKING in areas of use or storage.

7.2 STORAGE: Keep from sources of ignition, oxidizing materials, heat and flame. Keep containers closed when not in use.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 EXPOSURE LIMITS: n/a

8.2 PERSONAL PROTECTION:

| | |
|------------------------------------|---|
| Respiratory Protection: | Not required if adequate cross ventilation is maintained. |
| Ventilation: | Use exhaust fan to remove vapors and assure adequate ventilation. |
| Eye Protection: | Use OSHA approved chemical splash goggles with side shields |
| Protective Gloves: | Neoprene or rubber – impervious gloves |
| Other Protective Equipment: | Body protection suitable for the work environment |

8.3 ENGINEERING CONTROLS: n/a

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--|----------------------------------|
| Physical State: | Liquid |
| Appearance: | Transparent amber colored liquid |
| pH: | n/a |
| Solubility in Water (by weight): | Negligible |
| Odor: | Petroleum solvent odor |
| Flash Point – Closed Cup: | 104° F (40° C) |
| Flash Point – Open Cup: | n/a |
| Percent Volatiles: | 35% |
| Boiling Point (760mm Hg): | n/a |
| Freezing Point: | n/a |
| Specific Gravity (H₂O = 1): | 0.83 |
| Vapor Pressure at 20°C: | 0.7mg Hg |
| Vapor Density (air = 1): | >1 |
| Evaporation Rate (Butyl Acetate = 1): | <1 |
| Melting Point: | n/a |

Section 10 – STABILITY AND REACTIVITY

| | |
|----------------------------------|---|
| 10.1 STABILITY / INSTABILITY | Stable under ordinary conditions of use and storage |
| Conditions to Avoid | Keep from heat, open flame and sources of ignition |
| Incompatible Materials | Strong oxidizing agents, acids or acidic materials |
| 10.2 HAZARDOUS POLYMERIZATION | Will not occur |
| 10.3 INHIBITORS / STABILIZERS | n/a |

SECTION 11 – TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: **WARNING:** Combustible. Skin irritant. Eye Irritant.

CHRONIC TOXICITY: Skin irritant. Eye Irritant.

SECTION 12 – ECOLOGICAL INFORMATION

| | |
|--------------------------|-----|
| 12.1 ENVIRONMENTAL FATE | n/a |
| 12.2 ECOTOXICITY | n/a |
| 12.3 FURTHER INFORMATION | n/a |

SECTION 13 – DISPOSAL CONSIDERATIONS

| | |
|------------------------------|--|
| 13.1 WASTE DISPOSAL METHOD | Dispose of in accordance with local, state and federal regulations |
| 13.2 DISPOSAL CONSIDERATIONS | Keep from heat, open flame, sparks and sources of ignition |

SECTION 14 – TRANSPORTATION INFORMATION

| | |
|------------|--|
| U.S. D.O.T | Ground Transportation: Not Regulated Ocean Transportation: UN 1263 Paint Related Material, Class 3, PG III, Limited Quantity DO NOT SHIP via air freight without special packaging and labeling. Contact your air carrier for detailed instructions. |
|------------|--|

SECTION 15 – REGULATORY INFORMATION

15.1 FEDERAL / NATIONAL n/a

15.2 STATE / LOCAL n/a

SECTION 16 – OTHER INFORMATION

The information presented here is current as of the date of this Material Safety Data Sheet and is believed to be accurate but is not warranted to be, whether originating with the company or not. Since use of this information and the product are not under the control of Martin/F. Weber Company, it is the user's obligation to determine conditions of safe use, in advance of use, and to carefully read the product label and follow all instructions for safe use of the product.